

SAHCO

1831

ENQUIRIES
info@contextgallery.com
Tel. 404. 477. 3301
Tel. 800. 886.0867
contextgallery.com



Tablu

Type: Upholstery

Composition: 67% new wool, 12% linen, 12% viscose,
6% polyester, 3% nylon

Yarn type: Worsted

Binding: Jacquard

Width: Approx. 140 cm, 55 inches

Weight: Approx. 180 g/lin.m, 35 oz/ly

Repeat: Colour 142, 232, 332, 392, 572, 652:

Approx. 49 cm, 19.3 inches V, 84 cm, 33 inches H, 49 cm

Colour 152, 182, 482: Approx. 49 cm, 19.3 inches V,
76 cm, 30 inches H

Colour difference may occur

Cleaning: Vacuum clean frequently, ideally every week.

Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water based glue. Pay attention to temperature and amount of cleaning fluid.

Disinfection, see www.kvadrat.dk/en/sahco



10 year
warranty

**Abrasion**

Approx. 50.000 Martindale rubs, EN ISO 12947

Abrasion test results exceeding ACT performance guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

Pilling

Note 4 , EN ISO 12945

Seam slippage

Seam parallel to warp: 2.5mm parallel to weft: 6.0 mm

EN ISO 13 936-2 180 Newton

Snagging

Note 2 ICI Testmethod FAB 29, Tumble-Box

Lightfastness

Note 6-7 ISO 105-B02

Fastness to rubbing – to be confirmed

Dry note 4-5 ISO 105-X12

Wet note 3-5 ISO 105-X12

Flame resistance

AS/NSZ 3837 class 2

BS 5852 Crib 5

BS 5852 Part 1

EN 1021-1/2

IMO FTP Code 2020 : Part 8

ÖNORM B1 / Q1

UNI 9175 IIM

US Cal. Bull. 117-2013

Free from added flame-retardant chemicals as standard

SAHCO

1831

ACT Guidelines Woven fabrics

Flammability

US Cal. Bull. 117-2013

Dry & Wet Crocking AATCC 8

Dry Crocking: Grade 4.5-5.0

Wet Crocking: Grade 3.0-4.0

Colour Fastness to Light AATCC 16

Grade 4.0-5.0 minimum 40 hours

Physical properties

Pilling Class 4 ASTM D4970

Breaking Strength warp 181 / weft 262 lbs, ASTM D5034

Seam Slippage warp 28.5 / weft 133 lbs, ASTM D4034

Abrasion ASTM D4966

50.000 cycles Martindale – High Traffic / Public Spaces

Quality benefits

Complies with Möbelfakta -to be confirmed

Very good abrasion

Very good lightfastness

Flame retardant

Benefits of wool

Wool is a renewable resource

Wool is very comfortable because of its ability to absorb/
give off humidity

Wool is flame retardant

Wool is biodegradable

Wool is naturally soil resistant

Wool ages with grace

Environmental benefits

Follow the EU Ecolabel dye restrictions incl. AZO dye
and heavy metal restrictions

REACH compliant

Californian Proposition 65 list compliant

LBC Red list compliant

Healthier Hospitals compliant

No content of PFCs or 'PFAS'

Green building certificates

Greenguard Gold: Low chemical emission

Health Product Declaration (HPD): Declaring textile
content and substance

Country of origin

Norway

Launch

2024

Warranty

10 years. See terms and conditions on kvadrat.dk

Kvadrat packaging and cardboard is recyclable. Cardboard
material is FSC certified and / or contains recycled
content.

For further information

kvadrat.dk/en/sahco

CONTEXT

ENQUIRIES
info@contextgallery.com

Tel. 404. 477. 3301
Tel. 800. 886.0867

contextgallery.com