



COPENHAGEN SC14

BY SPACE COPENHAGEN
2018

CONTEXT

ENQUIRIES
info@contextgallery.com
Tel. 404. 477. 3301
Tel. 800. 886.0867
contextgallery.com



COPENHAGEN SC14

BY SPACE COPENHAGEN
2018

Choose a cosy corner, add the new Copenhagen floor lamp and you instantly have an ambience with elegance.

“Most people decorate a room first with furniture, then with lighting secondary, as an after-thought,” notes &tradition CEO / Founder Martin Kornbek Hansen. “Given the simple yet striking shape of Copenhagen, it makes sense to do this process in reverse. Start with the lighting, then add the furniture. The dimmer functionality gives you the extra freedom of adjusting the light to match your mood.”

The satinised opal glass shade emits a soft ambient light, while the LED dimmer allows you to adjust the light from a colder whiter light for daytime to a warmer light at night time for a calmer effect. Technology reflecting the Nobel Prize findings about our inner clock and therefore the impact of light on our sense of wellbeing.

If you are looking for an iconic lamp with loads of atmosphere, you've just found it.

CONTEXT

ENQUIRIES
info@contextgallery.com
Tel. 404. 477. 3301
Tel. 800. 886.0867
contextgallery.com



COPENHAGEN SC14

BY SPACE COPENHAGEN
2018

Product category	Floor lamp
Production process	The lamp shade is made from mouth blown opal glass and the base and stem are made from deep drawn and extruded metal.
Environment	Indoor
Material	Mouth-blown satinized opal glass & bronzed brass
Dimensions (cm/in)	Glass shade: Ø: 50cm/15.7in Base: Ø: 30cm/11.8in, H: 150cm/59.5in
Weight (kg)	7.5 Kg
Colours	Satinized opal glass, Bronzed brass
Voltage (V)	100-240V - 50Hz. With wall adapter output: 12V-1250mA
Light source performance & quality	Light output: 1300 lumen Lumen/watt: 72 lumen/watt CRI: >85 Dimming & Color temperature (Kelvin): Dim-to-warm technology - 2200K-2800K
Dimmability	The light intensity can be controlled by the foot switch on the cable with step dimming (4 steps & OFF)
Light source & Energy efficiency class	18 Watt LED The luminaire is energy classe : A+ The built-in LED module can be replaced in this luminaire. Available upon request.
Approximate LED life-time	50.000 hours
Certifications	CE, IP20, Class II
Cord lenght (cm/in)	350cm/137.8in
Cleaning instructions	Clean with soft dry cloth. Always switch off the electricity supply before cleaning.
Package dimensions (cm/in)	Glass shade: L: 59cm/23.2in, W: 59cm/23.2in, H: 39cm/15.4in Base: L: 158cm/62.2in, W: 39cm/15.4in, H: 17cm/6.7in



CONTEXT

ENQUIRIES
info@contextgallery.com
Tel. 404. 477. 3301
Tel. 800. 886.0867
contextgallery.com