

**Girola**

Designer: Lievore Altherr Molina
Year: 2004

A swivel armchair which enfolds the body and rotates fully on its own axis thanks to a ball mechanism in the base. An original and comfortable item of furniture, suitable for placing in the centre of any space. The frame is in beech plywood, upholstered in differentiated-density polyurethane foam.

Developed by Tacchini in Italy

Dimensions (cm)

Cod. OGIR87



W 87 D 74 H 64 cm
Swivel base

Non-removable
covers

CAD Files:
3D (.dwg, .3ds)
2D (.dwg)

Download CAD
files at [tacchini.it/
en/downloads](http://tacchini.it/en/downloads)

CONTEXT

ENQUIRIES
info@contextgallery.com

Tel. 404. 477. 3301
Tel. 800. 886.0867

contextgallery.com
contextcontract.com

Materials description

Internal frame: birch plywood 18 mm thick.

Padding: differentiated - density polyurethane foam.

Base: black embossed powder-coated metal swivel plate 8 mm thick.

Upholstery: non removable cover.

Suggested upholsteries



Bakul




Daylily




Erika



Silene



Thesium



Trifolium

Materials informations



Birch plywood	40%
Polyurethane	40%
Upholstery	12%
Swivel plate	8%

Polyurethane

Flexible expanded polyurethane is a solid elastic polymeric material with open cell structure. It is a non-toxic material and above all free from ozone-damaging components. Production and processing of the polyurethane we use meet the objectives of the new policy of ensuring the protection of human health and of the environment. We focus in particular on the choice and use of the types of density of polyurethane suitable for preserving over the years the features of load capacity, elasticity and resilience. For products used in public spaces flame-retardant expanded polyurethane is chosen, tested and certified according to international regulations.

Wood

Wood is a renewable raw material. All products derived from wood, such as for example plywood, have the advantage of being able to be machined more easily than wood and do not deform. The timber we use – solid or plywood – comes mainly from European and Russian forests and is seasoned to specific values of humidity with tests. Most of the structures of the products in the collection have a frame in solid pine or ash, or in beech or poplar plywood.

Recyclability

All Girola elements are 100% recyclable when fully separated. Tacchini undertakes on-going research and development, with efforts made to introduce products which are a perfect combination of function and safety without jeopardizing the final design of the same articles. During production attempts are made to minimize noise and emission levels and to reduce rejects as far as possible. All the single materials which make up the production process, once disassembled, can be reused several times, maintaining a high quality standard.

Packaging

Girola element is dispatched already assembled. It is protected by tissue paper and cellophane to protect the covering from dust and direct contact with the cardboard. The product is packed in rigid cardboard boxes suitable for world export. Manufacture of the packaging observes the criteria for recovery both as recycling and energy recovery and composting.

Once a product reaches the end of its life cycle it has to be eliminated.

To discover more about Tacchini environmental policy please visit: www.tacchini.it